

China

BT01

Bythai Scaffolding

48.3mm Galvanised Scaffold Tube Strong And Sturdy For Diverse Construction Needs

Basic Information

- Place of Origin:
- Brand Name:

BY THAI

- Certification: SGS
- Model Number:
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

	48.3mm Galvanized Scaffold Tube.
Name:	Galvanised Scaffold Tube
Yield Strength:	245N/mm2
Weight:	6.4kg/m
Thickness:	3.2mm
Application:	Scaffolding
Material:	Galvanised Steel
Diameter:	48.3mm
Standard:	EN39



Our Product Introduction

Product Description:

Galvanised Scaffold Tube

The Galvanised Scaffold Tube is a crucial component in the construction industry. Made from high quality galvanised steel, these tubes offer exceptional strength, durability, and versatility for all your scaffolding needs. Product Overview

The Galvanised Scaffold Tube is designed to withstand heavy loads and provide a secure platform for workers at elevated heights. With a tensile strength of 420N/mm2 and a yield strength of 245N/mm2, these tubes are able to withstand the demands of the construction industry.

Made from galvanised steel, these tubes are coated with a layer of zinc to protect them from corrosion, making them ideal for outdoor use. The zinc coating also adds to the overall strength and durability of the tube, ensuring it can withstand harsh weather conditions and heavy use.

At a thickness of 3.2mm, the Galvanised Scaffold Tube is lightweight yet sturdy, making it easy to handle and transport. This makes it a popular choice for scaffolding contractors who need to set up and dismantle scaffolding quickly and efficiently. Application

The Galvanised Scaffold Tube is primarily used in scaffolding systems, providing a safe and stable structure for workers to perform their tasks. However, it can also be used in a variety of other applications such as handrails, guardrails, and temporary structures. Whether you are working on a small residential project or a large-scale commercial construction, the Galvanised Scaffold Tube is an essential tool for ensuring the safety and efficiency of your project. Features

High tensile strength of 420N/mm2 for heavy-duty use

Durable galvanised steel construction for long-lasting performance

Lightweight and easy to handle for quick assembly and disassembly

Corrosion resistant for outdoor use in all types of weather

Versatile for use in scaffolding, handrails, guardrails, and temporary structures

Why Choose Galvanised Scaffold Tube?

The Galvanised Scaffold Tube is the go-to choice for scaffolding contractors and construction companies due to its exceptional quality and performance. It offers numerous benefits, including:

Cost-effective solution for scaffolding needs

Easy to assemble and dismantle

Compatible with various scaffolding accessories

Compliant with industry safety standards

Reliable and sturdy for a secure working platform

Invest in the Galvanised Scaffold Tube today and experience the difference it can make in your construction projects.







Technical Parameters:

Attribute		Value		
Yield Strength	245N/mm2	245N/mm2		
Standard	EN39	EN39		
Diameter	48.3mm	48.3mm		
Thickness	3.2mm	3.2mm		
Material	Galvanised S	Galvanised Steel		
Tensile Strength	420N/mm2	420N/mm2		
Name	Galvanised S	Galvanised Scaffold Tube		
Weight	6.4kg/m	6.4kg/m		
Application	Scaffolding	Scaffolding		
Surface Treatment	Galvanised	Galvanised		
Keyword		Value		
Scaffolding Tube Price		Depends on the market		
Scaffolding Tube Price		Depends on the market		
Scaffolding Tubes Galvanized		Yes		

Applications:

Galvanised Scaffold Tube - The Ideal Choice for Construction and Building Projects

Our Galvanised Scaffold Tube, also known as bs1139 scaffolding tube, is made of high-quality galvanised steel, ensuring maximum durability and stability. With a tensile strength of 420N/mm2, it can withstand heavy loads, making it suitable for a wide range of construction and building projects.

Application

Galvanised Scaffold Tube is primarily used in the construction industry for scaffolding purposes. It provides a safe and stable platform for workers to perform tasks at various heights, ensuring their safety and the overall success of the project. Features and Benefits

Hot dip galvanized for superior corrosion resistance Thick 3.2mm walls for added durability Easy to install and dismantle

Can withstand heavy loads

Cost-effective solution for scaffolding needs

Why Choose Galvanised Scaffold Tube from Bythai Scaffolding?

At Bythai Scaffolding, we take pride in our commitment to providing high-quality products at competitive prices. Our Galvanised Scaffold Tube is no exception. With our years of experience and expertise in the industry, we ensure that our products meet the highest standards of safety, stability, and durability.

Furthermore, our Galvanised Scaffold Tube is hot dip galvanized, providing superior corrosion resistance against harsh weather conditions and ensuring a longer lifespan. This makes it a cost-effective choice for construction and building projects. Conclusion

In summary, Galvanised Scaffold Tube from Bythai Scaffolding is the perfect choice for any scaffolding needs in construction and building projects. Its high-quality construction, easy installation, and superior corrosion resistance make it a reliable and cost-effective solution for all your scaffolding needs. Trust Bythai Scaffolding for all your construction and building needs.

Customization:

All our scaffold tubes are packaged in bundles for easy transportation and protection during delivery. Our delivery time is between 7-15 days, depending on the size of your order, and we accept various payment terms, including TT and LC.

With a monthly supply ability of 1000 tons, we can cater to all your scaffolding tube needs. Our tubes are made of galvanised steel, ensuring they are resistant to corrosion and can withstand harsh weather conditions.

Our scaffold tubes are primarily used for scaffolding purposes but can also be used for various other applications. They meet the EN39 standard, ensuring they are of high quality and safety standards.

The surface treatment of our scaffold tubes is galvanised, providing an extra layer of protection and increasing their longevity. They have a yield strength of 245N/mm2, making them strong and reliable for any construction project.

Choose Bythai Scaffolding for all your scaffold tube needs. Contact us today for a personalized quote and let us help you build your project with our top-quality BS1139 scaffolding tubes for sale.

Packing and Shipping:

Galvanised Scaffold Tube Packaging and Shipping

Galvanised scaffold tubes are packaged in bundles or wrapped in plastic bags. The bundles are securely strapped with steel bands to ensure safe transportation and delivery. Each bundle contains a certain number of tubes, depending on the size and length ordered. The tubes are then loaded onto pallets and shrink-wrapped for additional protection during shipping. The pallets are labeled with the product name, size, and quantity to facilitate easy identification and handling.

For larger orders, the tubes are loaded onto flatbed trucks or shipping containers for transportation. These containers are sealed and marked with shipping labels to ensure proper handling and delivery to the desired destination.

Upon arrival at the destination, the tubes are unloaded and inspected for any damages that may have occurred during shipping. Our team takes great care in packaging and shipping our products to ensure they arrive in perfect condition.

Customers can also opt for customized packaging and shipping options, such as adding barcode labels or special markings for easy tracking and identification. We also offer international shipping services for customers outside of our designated delivery areas. With our careful packaging and efficient shipping methods, you can be assured that your galvanised scaffold tubes will arrive safely and in pristine condition.

