

6.4kg/M Corrosion Resistance Galvanized Scaffold Tube 48 For EN39 Standard

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Application: Scaffolding
- Material: Galvanised Steel
- Surface Treatment: Galvanised
- Thickness: 3.2mm
- Standard: EN39
- Tensile Strength: 420N/mm2
- Weight: 6.4kg/m
- Name: Galvanised Scaffold Tube
- Highlight: **Corrosion Resistance Galvanized Scaffold Tube , EN39 Galvanized Scaffold Tube, Corrosion Resistant Galvanized Scaffolding Tube**



6.4kg/M Corrosion Resistance Galvanized Scaffold Tube 48 For EN39 Standard

Product Description:

Product Overview: Galvanised Scaffold Tube

Galvanised Scaffold Tube is a type of steel tube used in the construction industry for scaffolding purposes. These tubes are also known as scaffold aluminum tubes, tube and coupler scaffolding, or simply scaffolding tubes. They are specifically designed to provide a sturdy and safe support system for workers and materials at construction sites.


One of the key attributes of Galvanised Scaffold Tube is its high strength. With a yield strength of 245N/mm² and a tensile strength of 420N/mm², these tubes are able to withstand heavy loads and provide a stable platform for workers to perform their tasks. This makes them an essential component in any construction project.

The Galvanised Scaffold Tube has a diameter of 48.3mm, which is the standard size for scaffolding tubes. This size is chosen for its optimal balance between strength and weight, making it easy to handle and transport while still providing the necessary support.

In order to ensure durability and resistance to corrosion, the Galvanised Scaffold Tube undergoes a hot-dip galvanization process. This involves coating the tube with a layer of zinc, which protects it from rust and other forms of deterioration. This surface treatment also gives the tube a shiny, polished appearance, making it easy to identify on construction sites.

The use of Galvanised Scaffold Tube offers many benefits over other types of scaffolding systems. Its high strength and durable construction make it a reliable and safe option for workers. The galvanization process also makes it a cost-effective choice, as it requires less maintenance and replacement compared to other materials.

In conclusion, Galvanised Scaffold Tube is an essential component in the construction industry. Its high strength, standard diameter, and hot-dip galvanization make it a reliable and durable option for scaffolding needs. With this product, construction sites can ensure the safety and efficiency of their workers while also saving on costs in the long run.





Technical Parameters:

| Product Name | Galvanised Scaffold Tube |
|--------------|--------------------------|
| Standard | EN39 |
| Diameter | 48.3mm |

| | |
|-------------------|--|
| Thickness | 3.2mm |
| Material | Galvanised Steel |
| Surface Treatment | Galvanised |
| Yield Strength | 245N/mm2 |
| Tensile Strength | 420N/mm2 |
| Weight | 6.4kg/m |
| Application | Scaffolding |
| Key Words | steel and pipe, galvanized scaffolding pipe tube, scaffolding pipe, galvanized pipe, galvanized tube |

Applications:

Galvanised Scaffold Tube - Bythai Scaffolding

Product Description

Bythai Scaffolding's Galvanised Scaffold Tube, also known as scaffolding pipe, is a type of seamless pipe that is specifically designed for use in scaffolding systems. It is made from high-quality steel and is hot-dip galvanized to provide superior corrosion resistance and durability.

Brand Name: Bythai Scaffolding

| Model Number | Place of Origin | Certification |
|--------------|-----------------|---------------|
| BT01 | China | SGS |

Price

The price of our Galvanised Scaffold Tube ranges from \$5 to \$18, depending on the quantity and specifications.

Packaging Details

Our Galvanised Scaffold Tube is packaged in bundles to ensure safe and efficient transportation.

Delivery Time

We have a fast delivery time of 7-15 days to ensure that our customers receive their orders on time.

Payment Terms

We accept TT (Telegraphic Transfer) and LC (Letter of Credit) as payment terms to provide flexibility for our customers.

Supply Ability

With our advanced production facilities, we have the capacity to produce 1000 tons of Galvanised Scaffold Tube per month to meet the demands of our customers.

Product Specifications

| Diameter | Standard | Yield Strength |
|----------|----------|----------------|
| 48.3mm | EN39 | 245N/mm2 |

Application

Galvanised Scaffold Tube is primarily used in scaffolding systems for construction and building projects. It provides support, safety, and stability for workers at elevated heights. It is also widely used for maintenance, repair, and painting works in various industries.

Advantages

- High-quality steel material
 - Hot-dip galvanized for superior corrosion resistance
 - Durable and long-lasting
 - Versatile and flexible for various applications
 - Compliant with industry standards
- Contact Us

If you are looking for high-quality Galvanised Scaffold Tube at competitive prices, please feel free to contact us. Our experienced team will provide you with professional and efficient service.

Email: info@bythaiscaffolding.com

Phone: +86 123 456 7890

Customization:

Bythai Scaffolding - Galvanised Scaffold Tube Customization Service

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS

Price: \$5-\$18

Packaging Details: In bundles

Delivery Time: 7-15 days

Payment Terms: TT/LC

Supply Ability: 1000tons per month

Yield Strength: 245N/mm2

Application: Scaffolding

Material: Galvanised Steel

Name: Galvanised Scaffold Tube

Tensile Strength: 420N/mm2

Key Features:

BS1139 scaffolding tube standard
Made of high quality galvanised steel
Durable and strong with a yield strength of 245N/mm² and tensile strength of 420N/mm²
Customizable model number - BT01
Originating from China with SGS certification
Competitive price range of \$5-\$18
Flexible packaging options in bundles
Fast delivery time of 7-15 days
Flexible payment terms of TT or LC
High supply ability of 1000 tons per month
Specifically designed for use in scaffolding applications

Packing and Shipping:

Galvanised Scaffold Tube

Packaging and Shipping

Each Galvanised Scaffold Tube is carefully packaged to ensure safe and secure delivery to our customers. The tubes are typically bundled together and wrapped with protective material such as bubble wrap or foam. The bundle is then placed in a sturdy cardboard box for added protection.

For larger orders, the tubes may be palletized and shrink-wrapped for efficient transportation. This also helps to prevent any damage during handling and transit.

We work with trusted shipping partners to ensure prompt and reliable delivery of our products. We offer a variety of shipping options to cater to our customers' specific needs and requirements.

Our team closely monitors the shipping process to ensure that the products arrive in perfect condition. In the rare case that there is any damage during transit, we will work with our customers to address the issue and provide a satisfactory solution.

At Galvanised Scaffold Tube, we are committed to providing top-quality products and exceptional customer service. Our packaging and shipping processes are designed to ensure a smooth and hassle-free experience for our valued customers.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China