

China

3.2mm Thickness Galvanized Scaffold Tube Dia 48.3mm for Scaffolding contruction

Tube

Basic Information

- Place of Origin:
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
 Minimum Order 1000
- Quantity:
- Price: \$5-\$18
- Packaging Details: container
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

| Tensile Strength: | 420N/mm2 |
|--------------------|---|
| Name: | Galvanised Scaffold Tube |
| Standard: | EN39 |
| Material: | Galvanised Steel |
| Yield Strength: | 245N/mm2 |
| Diameter: | 48.3mm |
| Thickness: | 3.2mm |
| Surface Treatment: | Galvanised |
| • Highlight: | 3.2mm Galvanized Scaffold Tube, Dia 48.3mm Galvanized Scaffold T |



Product Description:

Galvanised Scaffold Tube - The Ultimate Choice for Scaffolding Applications

The Galvanised Scaffold Tube is a top-of-the-line product designed specifically for use in scaffolding applications. With its superior quality and advanced features, it has become the go-to choice for professionals in the construction industry. Product Overview

The Galvanised Scaffold Tube is a type of steel and pipe product that has been treated with a galvanising process. This process involves coating the steel with a layer of zinc to protect it from corrosion and increase its durability. The result is a strong and sturdy scaffold tube that can withstand harsh weather conditions and heavy loads. Key Features

Galvanised Surface Treatment: The scaffold tube is coated with a layer of zinc, making it resistant to rust and corrosion.

EN39 Standard: The product meets the requirements of the EN39 standard, ensuring its quality and reliability.

Yield Strength of 245N/mm2: The scaffold tube has a high yield strength, making it able to withstand heavy loads and provide stable support.

48.3mm Diameter: The tube has a standard diameter of 48.3mm, making it compatible with most scaffolding systems.

Versatile Application: The Galvanised Scaffold Tube is suitable for a wide range of scaffolding applications, including construction, maintenance, and repair work.

Why Choose Galvanised Scaffold Tube?

There are several reasons why the Galvanised Scaffold Tube stands out in the market:

It is a cost-effective solution for scaffolding needs, as it requires minimal maintenance and has a long lifespan.

Its galvanised surface treatment provides extra protection against corrosion, making it suitable for outdoor use.

The EN39 standard ensures that the product meets industry standards and is of high quality.

Its high yield strength makes it a reliable and stable choice for supporting heavy loads.

The 48.3mm diameter makes it versatile and compatible with various scaffolding systems.

In Conclusion

The Galvanised Scaffold Tube is the perfect choice for professionals in the construction industry. Its superior quality, advanced features, and versatile application make it an essential product for any scaffolding project. With its galvanised surface treatment, EN39 standard, and high yield strength, it provides the ultimate support and protection for your scaffolding needs. Choose Galvanised Scaffold Tube for a strong and reliable scaffolding system that will last for years to come.

Technical Parameters:

| Кеу | Value |
|-------------------|--------------------------|
| Name | Galvanised Scaffold Tube |
| Material | Galvanised Steel |
| Diameter | 48.3mm |
| Thickness | 3.2mm |
| Weight | 6.4kg/m |
| Tensile Strength | 420N/mm2 |
| Yield Strength | 245N/mm2 |
| Standard | EN39 |
| Application | Scaffolding |
| Surface Treatment | Galvanised |

