

Construction Tools Galvanized Multidirectional 6 Ring 3 M High Rosette Scaffolding System

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: OEM
- Certification: SGS
- Model Number: BT-RS01
- Minimum Order Quantity: 1*20FT
- Price: US\$10.8-85.5
- Packaging Details: In Bundle with Steel Belts
- Delivery Time: 25-30 Days
- Payment Terms: L/C, T/T
- Supply Ability: 5000 Ton / Month



Product Specification

- Material: Q235, Q355
- Surface Treatment: Galvanized / Painted / HDG
- Tube Thickness: 2.75mm, 3.0mm, 3.2mm
- Tube Diameter: 48.3mm
- Component: Vertical Standard, Ledger, Diagonal Brace, Bridge Ledger, Board Bracket, Lattice Girder
- Standard: EN12810/EN12811
- Vertical Standard Length: 0.5m/1.0m/1.5m/2.0m/2.5m/3.0m
- Ledger Length: 0.73m/1.09m/1.36m/1.57m/1.83m/2.07m/2.57m/3.07m
- Diagonal Brace Length: 0.73m*2m/1.09m*2m/1.36m*2m/1.57m*2m/1.83m*2m/2.07m*2m/2.57m*2m/3.07m*2m
- Application: Industrial / Commercial Construction, Bridge, Tunnel, Shipyard, Etc
- Highlight: **3 M High Rosette Scaffolding System, Galvanized Rosette Scaffolding System, Multidirectional Rosette Scaffolding System**

for more products please visit us on bythaiscaffold.com

Product Description

Introduction

Our Galvanized Multidirectional Rosette Scaffolding System stands 3 meters high and features 6 rings, providing unmatched flexibility and stability for construction projects. Its galvanized finish ensures long-lasting protection against rust and corrosion. This system is designed for quick and easy setup, offering a reliable and efficient solution for various construction tasks. Its robust construction guarantees safety and durability, making it a preferred choice for professionals.

Specification

Ringlock Vertical Standard

Description	Thickness(mm)	Length(mm)	Surface	Weight(kg)
0.5M Ring Lock Standard Vertical w/Spigot (1-Ring)	3.25	500	HDG	2.56
1.0M Ring Lock Standard Vertical w/Spigot (2-Ring)	3.25	1000	HDG	4.99
1.5M Ring Lock Standard Vertical w/Spigot (3-Ring)	3.25	1500	HDG	7.45
2.0M Ring Lock Standard Vertical w/Spigot (4-Ring)	3.25	2000	HDG	9.95
2.5M Ring Lock Standard Vertical w/Spigot (5-Ring)	3.25	2500	HDG	12.43
3.0M Ring Lock Standard Vertical w/Spigot (6-Ring)	3.25	3000	DHG	14.84

Ringlock Round Horizontal Ledger

Diameter(mm)	Thickness(mm)	Length(mm)	Surface	Materials
48.3	3.0	730	HDG	Q355 /Q235
48.3	3.0	1040	HDG	Q355 /Q235
48.3	3.0	1090	HDG	Q355 /Q235
48.3	3.0	1400	HDG	Q355 /Q235
48.3	3.0	1570	HDG	Q355 /Q235
48.3	3.0	2070	HDG	Q355 /Q235
48.3	3.0	3070	HDG	Q355 /Q235

Ringlock Diagonal Brace

Diameter(mm)	Thickness(mm)	Length(mm)	Surface	Materials
48.3	2.75 /3.0	730*2000	HDG	Q235
48.3	2.75 /3.0	1040*2000	HDG	Q235
48.3	2.75 /3.0	1090*2000	HDG	Q235
48.3	2.75 /3.0	1400*2000	HDG	Q235
48.3	2.75 /3.0	1570*2000	HDG	Q235
48.3	2.75 /3.0	2070*2000	HDG	Q235
48.3	2.75 /3.0	3070*2000	HDG	Q235

Details Picture



Packing and Loading





Certificates



FAQ

Q: What types of scaffolding systems do you offer?

A: We offer a variety of scaffolding systems, including ring lock, frame, prop, tube & coupler systems, steel and aluminum planks, and various scaffolding accessories.

Q: How does your quality control process ensure the safety and reliability of your scaffolding products?

A: Our strict quality control process includes thorough inspections, material testing, and adherence to international safety standards to ensure our scaffolding products are safe and reliable.

Q: Can you provide customized scaffolding solutions to meet specific project requirements?

A: Yes, we offer customized scaffolding solutions tailored to meet the unique needs of your project, ensuring optimal performance and safety.

Q: What is the typical lead time for orders, and how do you handle urgent requests?

A: Our standard lead time varies depending on the order size and complexity, but we prioritize urgent requests to ensure timely delivery without compromising quality.

Q: Do you offer support and guidance for scaffolding assembly and installation?

A: Yes, we provide comprehensive support, including detailed assembly instructions and technical assistance to ensure proper installation and safe use of our scaffolding systems.

Q: What are the key advantages of using your aluminum ringlock system?

A: Our aluminum ringlock system offers several advantages, including lightweight design, easy assembly, high load capacity, durability, and corrosion resistance, making it ideal for various construction projects.

Q: How do your prices compare to other scaffolding suppliers?

A: We offer competitive factory prices while maintaining high-quality standards, providing cost-effective solutions that deliver excellent value for your investment.

Q: What certifications and standards do your scaffolding products meet?

A: Our scaffolding products meet international certifications and standards, including OSHA, EN, and ISO, ensuring they comply with the highest safety and quality requirements.

Q: Can you provide references or case studies from past projects?

A: Yes, we can provide references and case studies showcasing our successful projects and satisfied customers to demonstrate our expertise and reliability.

Q: What is the process for placing an order and what payment options do you accept?

A: Placing an order is simple: contact our sales team with your requirements, receive a detailed quote, and finalize the order. We accept various payment options, including TT, letters of credit, and other secure methods.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China