

Galvanized Scaffold Tube 48 Tube And Clamp Coupler Scaffolding Tube Galvanized Scaffolding Pipe

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS ISO
- Model Number: BT201
- Minimum Order Quantity: 1000
- Price: \$10-\$85
- Packaging Details: In bundles
- Delivery Time: 10-15 days
- Payment Terms: TT/TC
- Supply Ability: 1000tons per month



Product Specification

- Application: Scaffolding
- Name: Galvanised Scaffold Tube
- Yield Strength: 245N/mm²
- Tensile Strength: 420N/mm²
- Material: Galvanised Steel
- Thickness: 3.2mm
- Surface Treatment: Galvanised
- Diameter: 48.3mm
- Highlight: **clamp coupler scaffold tube, 48 Galvanized Scaffolding Pipe**



More Images



Product Description

Product Description:

The Galvanised Scaffold Tube is made from high-quality galvanised steel, which means that it is resistant to rust and corrosion. This makes it the ideal choice for outdoor projects, where exposure to the elements can be a concern. The galvanisation process involves coating the steel with a layer of zinc, which creates a protective barrier between the steel and the environment. This ensures that the scaffold tube remains in excellent condition, even after years of use.

The Galvanised Scaffold Tube has a yield strength of 245N/mm², which means that it can support heavy loads without bending or breaking. This makes it an ideal choice for use in construction projects, where safety is a top priority. The high yield strength of this scaffold tube ensures that it can withstand the weight of workers, equipment, and materials, without compromising the integrity of the structure.

Whether you are a professional contractor or a DIY enthusiast, the Galvanised Scaffold Tube is an essential tool for your project. Its sturdy construction and high-quality materials make it a reliable choice for any scaffolding application. It can be used in combination with other steel tubes and stainless steel pipes to create a scaffolding system that is tailored to your specific needs.

In summary, the Galvanised Scaffold Tube is a high-quality steel tube that is ideal for use in construction, renovation, and maintenance projects. Made from galvanised steel, it is strong, durable, and resistant to rust and corrosion. With a thickness of 3.2mm and a diameter of 48.3mm, it has a high yield strength of 245N/mm², which makes it capable of supporting heavy loads without bending or breaking.

Whether you are a professional contractor or a DIY enthusiast, the Galvanised Scaffold Tube is an essential tool for your project.

Features:

Product Name: Galvanised Scaffold Tube

Yield Strength: 245N/mm²

Diameter: 48.3mm

Material: Galvanised Steel

Application: Scaffolding

Surface Treatment: Galvanised

This scaffold aluminum tube is made of galvanised steel with a yield strength of 245N/mm² and a diameter of 48.3mm. It is suitable for use in scaffolding applications and has been treated with a galvanised surface treatment to ensure maximum durability. This seamless pipe is a reliable and cost-effective solution for your scaffolding needs.

Technical Parameters:

Standard	EN39
Diameter	48.3mm
Application	Scaffolding
Surface Treatment	Galvanised
Material	Galvanised Steel
Weight	6.4kg/m
Name	Galvanised Scaffold Tube
Tensile Strength	420N/mm ²
Yield Strength	245N/mm ²
Thickness	3.2mm

This is a seamless galvanized scaffold tube 48 made of steel and pipe.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China

